


Water is our element.

South East Asia product brochure
2014/2015



GEBERIT GEBERIT

 **GEBERIT**

Since the day it all began in 1874 in Switzerland, we have been defined by our experiences. Geberit has been among the pioneers of the industry and is still setting trends with comprehensive system solutions.

With approximately 6,200 employees around the world and offices in more than 41 countries, Geberit stands for innovation, durability and ecological efficiency.

1874 Caspar Melchior Albert Gebert (1850–1909) opens a plumber's shop in the Old Town of Rapperswil (CH). At the turn of the century, his two sons Albert Emil and Leo join the company and start the production of wooden flushing cisterns.

1905 Albert Emil Gebert succeeds in producing the first wooden flushing cistern that is lined with lead and equipped with leaden fittings, under the brand name "Phoenix".

1952 The first PVC flushing cistern is produced.

1964 Introduction of the first concealed cistern.

1999 In the year of the 125th anniversary of the company's founding, Geberit succeeds in being listed on the stock market.

2004 Geberit takes over the German Mapress Group, the largest acquisition in company history.

2005 Formation of Geberit International Sales AG.

2010 The newly established Asia/Pacific headquarters in Shanghai as well as the European Geberit Logistics Centre in Pfullendorf (DE) are inaugurated and put into operation.

2012 Geberit share included in the SMI (Swiss Market Index).

Geberit around the world.

Project references.



↑ Bitexco Financial Tower
– Ho Chi Minh, Vietnam



↑ Emporia Shopping Mall – Malmo, Sweden



↑ Zayed University – Abu Dhabi, United Arab Emirates



↑ U-Town Lifestyle Centre
– Beijing, China


↓ Al Bahar Towers – Abu Dhabi, United Arab Emirates



↓ The Berlin Brandenburg Airport
– Berlin, Germany



↓ Parkroyal on Pickering Hotel – Singapore



↓ Congress Centre – Hangzhou, China



↓ AZ Groeninge Hospital – Kortrijk, Belgium



← Schloss Schauenstein Hotel – Fürstenu, Switzerland

Diversified sanitary products.

A complete solution for your bathroom.

Concealed cistern & actuator plates 8



AquaClean 18



Monolith WC 22



Shower drain 26




Monolith Puro 24



Sustainability 28

From beginning to end.

Geberit systems deliver solutions for water supply, usage and drainage.



Supply

Geberit supply systems are easy to install, extremely resistant to high pressures and temperatures, and also transmits minimal noise. The Geberit piping systems which can be tailored to your residences ensure that no water will be wasted and that hygiene is always of the highest standards.

Usage


Geberit sanitary systems comprise of high performance technology which provides buildings and homes with clean water for consumption as well as for washing purposes used by the sanitary systems.

Drainage

Geberit waste and drainage systems cover solutions for domestic, industrial and commercial applications.

Why concealed and wall-hung?

With Geberit installation systems, the pipes, cisterns and the connections are no longer visible but hidden within the Geberit preWall installation.



Know-how

Design space

★★★★ Premium quality

One of the benefits of a concealed preWall installation is that water and drain connections no longer determine the position of the WC or urinal, but is determined by design and planning of the room. Having a preWall and wall-hung systems give you a free reign of bathroom designs. A bathroom with concealed installations will feel more spacious than a conventional bathroom; portraying elegance from floor to ceiling.

Concealed installations are more hygienic because they offer clean lines and clear surfaces, which allows easy cleaning. The wall-hung toilet makes it possible to clean the entire floor, including beneath the toilet. There is no risk of the toilet detaching from the wall as the Geberit systems are able to withstand weight up to 400kg.

👁️ Modern bathroom design

🧹 Easy cleaning, no obstacles on the floor

💧 4.5L 3L Reduced water costs due to dual flush

🏋️ 400 kg Geberit systems can withstand weight up to 400kg





🚪 Optimisation of space for an improved interior feel

🔧 Accessible any time

Clearly invisible.
Geberit concealed cistern.



Sigma concealed cisterns.






**Sigma concealed cistern,
thickness 120mm, height 1080mm**

- 224.326.00.1 4.5L / 3L
- 224.304.00.1 6L / 3L

**Kombifix element with Sigma concealed cistern,
thickness 120mm, height 1080mm**

- 224.327.00.1 4.5L / 3L
- 224.328.00.1 6L / 3L




**Duofix element with Sigma concealed cistern,
thickness 120mm, height 1135mm**

- 224.224.00.1 4.5L / 3L
- 224.217.00.1 6L / 3L

Touchless beauty.



Geberit Sigma80.



The innovative Geberit Sigma80 flush plate only requires the wave of a hand to initiate the flush process. An automatic standby mode ensures that electricity consumption is kept to a minimum. The touchless flush plate is available in two glass versions: black or with a mirror surface.



Comes equipped with five different colour settings for the flush lights



Excellent touch. Geberit Sigma70.

New



Protruding slightly from the wall, the Geberit Sigma70 actuator plate appears to float in front of the wall. Using the new servo technology, a gentle push on the actuator plate is all it takes to trigger the flush. Made from a compact piece of glass or stainless steel only a few millimeters thick, a customisable surface is also available.

Colour/material variants * Customisable surface also available



Black glass



Stainless steel brushed



Umber glass




White glass

Sigma actuator plates.

New

Sigma 80



→ Flush technology: dual flush, infra-red
→ Outer dimensions: 247 mm x 164 mm




→ 116.090.SG.1
Black glass
Product material: glass




→ 116.090.SM.1
Reflective glass
Product material: glass

Sigma 70



→ Flush technology: dual flush
→ Outer dimensions: 240 mm x 158 mm



→ 115.620.FW.1
Stainless steel brushed
Product material: stainless steel



→ 115.620.SI.1
White glass
Product material: glass



→ 115.620.SJ.1
Black glass
Product material: glass




→ 115.620.SQ.1
Amber glass
Product material: glass



→ 115.620.00.1
Customisable surface

Sigma 60




→ Even with surface
→ Flush technology: dual flush
→ Outer dimensions: 221 mm x 139 mm



→ 115.792.GH.1
Brushed chrome
Product material: die-cast zinc

Sigma 50



→ Flush technology: dual flush
→ Outer dimensions: 246 mm x 164 mm



→ 115.788.GH.5
Brushed chrome
Product material: die-cast zinc



→ 115.788.11.5
White alpine
Product material: die-cast zinc, PMMA



→ 115.788.SE.5
Green glass satinised
Product material: die-cast zinc, glass



→ 115.788.SQ.5
Umber glass satinised
Product material: die-cast zinc, glass



→ 115.788.DW.5
Jet black RAL 9005
Product material: die-cast zinc, PMMA



→ 115.788.SD.5
Glass reflective
Product material: die-cast zinc, glass




→ 115.788.00.5
Customisable surface
Product material: die-cast zinc

* Installation set required - Art no: 115.861.00.1

New

Sigma 20



→ Flush technology: dual flush
→ Outer dimensions: 246 mm x 164 mm



→ **115.778.SN.1**
Stainless steel brushed/pol.br.
Product material: stainless steel



→ **115.778.KJ.1**
White/bright chrome/white
Product material: plastic



→ **115.778.KK.1**
White/gold-plated/white
Product material: plastic



→ **115.778.KL.1**
White/matt chrome/matt chrome
Product material: plastic



→ **115.778.KM.1**
Black/bright chrome/black
Product material: plastic



→ **115.778.KH.1**
Bright/matt/bright chrome
Product material: plastic




→ **115.778.KN.1**
Matt/bright/matt chrome
Product material: plastic



→ **115.781.SN.1**
Stainless steel brushed/pol.br.
Product material: stainless steel
(lockable)

Sigma 10



→ Flush technology: dual flush, infra-red
→ Operation: Battery or mains operation
→ Outer dimensions: 246 mm x 164 mm



→ **115.907.SN.1 (mains) // 115.908.SN.1 (battery)**
Stainless steel brushed/pol.br.
Product material: stainless steel



→ **115.907.KH.1 (mains) // 115.908.KH.1 (battery)**
Bright chrome/matt chrome
Product material: plastic




→ **115.907.KJ.1 (mains) // 115.908.KJ.1 (battery)**
White/gold-plated
Product material: plastic



→ **115.907.KK.1 (mains) // 115.908.KK.1 (battery)**
White/matt chrome
Product material: plastic



→ **115.907.KL.1 (mains) // 115.908.KL.1 (battery)**
White/matt chrome
Product material: plastic



→ **115.907.KM.1 (mains) // 115.908.KM.1 (battery)**
Black/bright chrome
Product material: plastic




→ **115.907.KN.1 (mains) // 115.908.KN.1 (battery)**
Matt chrome/bright chrome
Product material: plastic



→ With manual flush
→ **115.890.SN.5 (mains) // 115.891.SN.5 (battery)**
Stainless steel brushed/pol.br.
Product material: stainless steel

Sigma 01



→ Flush technology: dual flush
→ Outer dimensions: 246 mm x 164 mm



→ **115.770.21.5**
Bright chrome-plated
Product material: plastic



→ **115.770.46.5**
Matt chrome-plated
Product material: plastic



→ **115.770.KA.5**
Bright chrome/matt chrome
Product material: plastic



→ **115.770.11.5**
White alpine
Product material: plastic




→ **115.770.DW.5**
Jet black RAL 9005
Product material: plastic



→ **115.770.DT.5**
Special brass (colour)
Product material: plastic

Bolero



→ Flush technology: dual flush
→ Outer dimensions: 246 mm x 164 mm



→ **115.777.21.1**
Bright chrome-plated
Product material: plastic



→ **115.777.46.1**
Matt chrome-plated
Product material: plastic



→ **115.777.11.1**
White alpine
Product material: plastic



→ **115.777.DW.1**
Jet black RAL 9005
Product material: plastic




→ **115.777.DT.1**
Special brass (colour)
Product material: plastic

* Installation set required for mains operation plates - Art no: 115.861.00.1

Kappa concealed cisterns.




Range Option for Front or Top Operated




**Kappa concealed cistern,
thickness 150mm, height 820mm**

224.364.00.1	4.5L / 3L
224.350.00.1	6L / 3L




**Kappa concealed cistern,
thickness 150mm, height 880 – 1080mm**

224.361.00.1	4.5L / 3L
224.359.00.1	6L / 3L



**Kombifix element with Kappa concealed cistern,
thickness 150mm, height 820mm**

224.201.00.1	4.5L / 3L
224.203.00.1	6L / 3L




**Duofix element with Kappa concealed cistern,
thickness 150mm, height 820mm**

224.175.00.1	4.5L / 3L
224.170.00.1	6L / 3L

Kappa actuator plates.

Kappa 50



→ Flush technology: dual flush
→ Outer dimensions: 213 mm x 142 mm



→ **115.260.11.1**
White alpine
Product material: die-cast zinc



→ **115.260.21.1**
Bright chrome-plated
Product material: die-cast zinc



→ **115.260.46.1**
Matt chrome-plated
Product material: die-cast zinc




→ **115.260.HC.1**
Matt palladium-plated
Product material: die-cast zinc



→ **115.258.00.1**
Stainless steel brushed
Product material: stainless steel

Kappa 21



→ Flush technology: dual flush
→ Outer dimensions: 213 mm x 142 mm




→ **115.240.KJ.1**
White/bright chrome/white
Product material: plastic



→ **115.240.KK.1**
White/gold-plated/white
Product material: plastic



→ **115.240.KL.1**
White/matt chrome/matt chrome
Product material: plastic



→ **115.240.KM.1**
Black/bright chrome/black
Product material: plastic




→ **115.240.KH.1**
Bright/matt/bright chrome
Product material: plastic



→ **115.240.KN.1**
Matt/bright/matt chrome
Product material: plastic

Kappa 20



→ Flush technology: dual flush
→ Outer dimensions: 213 mm x 142 mm



→ **115.228.11.1**
White alpine
Product material: plastic



→ **115.228.46.1**
Matt chrome-plated
Product material: plastic



→ **115.228.21.1**
Bright chrome-plated
Product material: plastic



→ **115.228.DT.1**
Special brass (colour)
Product material: plastic


Design flexibility.
Freedom of placement.



Geberit pneumatic concealed cistern and actuator plates.


The contemporary design of the pneumatic actuator fits any bathroom setting and allows design flexibility. Uniquely designed by Geberit, the actuator does not need to be placed in front of the concealed cistern, thus allowing flexible positioning of the concealed cistern. Specially designed parts allow both dry and wet wall installation.

UP125 concealed cistern, thickness 150mm, height 820mm




224.352.00.1 4.5L / 3L for SEA

WC control pneumatic




WC control pneumatic




HyTouch pneumatic dual-flush actuator

* Only for dry wall installation.



HyTouch cable dual-flush actuator



Geberit AquaClean Series.

A new dimension in cleanliness.





Introducing the new Geberit AquaClean Sela, winner of three coveted design awards, it is designed by architect and designer, Matteo Thun. Geberit AquaClean Sela fits virtually in any bathroom environment thanks to its simple contours.

New



Geberit AquaClean Sela.

Sleek and intelligent.

Geberit AquaClean Sela cleans you with a gentle, airy water spray at body temperature. The intensity of the water spray can be adjusted to one of five levels, while the oscillation ensures a pleasant cleaning experience. Thanks to the integrated user identification function, the water starts heating automatically as soon as you approach the WC. The ceramic unit has a special coating making it dirt-repellant, resulting in effective self-cleaning. The Geberit AquaClean Sela seat has extremely comfortable ergonomics and its seat cover is easy and quick to remove, making cleaning a lot easier. Just like all Geberit AquaClean models, this product also complies with European Ecodesign requirements and, thanks to its energy-saving function, consumes a minimal amount of energy even in standby mode.



2013



DESIGN PLUS




powered by ISH

1 A gentle, airy water spray washes you clean with an intensity that is comfortable for you – choose from five different spray pressure levels.

2 As with all models, the shower nozzle is rinsed with clean water before and after you use the toilet.

3 The small and intuitive remote control makes the shower function really easy to switch on and adjust.

4 Alternatively, use the clearly laid-out control panel, concealed elegantly beneath the lid.



Geberit AquaClean Sela

146.147.11.1

White alpine

Geberit AquaClean 8000plus.

The deluxe pampering programme.


Geberit AquaClean 8000plus leaves nothing to be desired and offers many extra pampering functions in addition to the water spray. As soon as the user sits on the WC, the automatic odour extraction function switches on, keeping the air in the bathroom fresh. The spray temperature and intensity can be adjusted to suit personal preferences. While the pulsating massage function has an invigorating effect and the soft lady wash guarantees gentle personal hygiene for ladies. After the spray has finished, the integrated warm-air dryer dries you off in comfort. All functions can be individually adjusted and up to four user profiles can be saved.



The intensity, temperature and properties of the jet of water can be individually adjusted.




Beneficial for all the senses: the odour extraction systems starts up as soon as you sit down.



Drying yourself with warm air is extremely comfortable and gentler on your skin.



Adjust all the functions to suit your requirements. Once your adjustments have been saved, they can be retrieved any time.




Geberit AquaClean 8000plus

180.100.11.1 White alpine

Geberit AquaClean 4000.

Hygiene for every home.

Geberit AquaClean 4000 offers all the basic functions you need from a WC with integrated shower function. The easily installed WC enhancement solution is compatible with most WC models. The practical enhancement solution washes you clean with a gentle and airy water spray at body temperature and at the intensity you choose. The control panel is easily accessible and self-explanatory. And as with all Geberit AquaClean models, the Geberit AquaClean 4000 has a soft-closing lid.



Geberit AquaClean 4000

146.130.11.1 White alpine

Distinctive elegance.
A modern alternative.



Geberit Monolith for WC.

A truly good design makes a strong impression not only with its shape but also with its functions, materials and technology behind it. Geberit Monolith WC module conceals all the necessary technology behind a simple design concept which is quick to install and offers plenty of scope for creativity.

The internationally award-winning design can be used in combination with a wide range of sanitary wares and is easily installed, using existing connections.

Modern alternative to the traditional toilet, the Geberit Monolith WC module certainly makes a bold statement in the bathroom, adding a beautiful, elegant touch to your ideal bathroom.






Perfection without edges

The slim, modern Geberit Monolith design finished with brushed metal housing and highly-polished tempered glass, it is hard to believe all the necessary technology of a WC is cleverly concealed behind the glass and within 10.6cm.

Geberit Monolith also offers the added bonus of water-saving dual flush technology plus easy to clean surfaces without hidden corners.



Colour range



WC model

Wall-hung WC ceramics
and AquaClean Sela wall-hung WC

131.026.xx.1
131.021.xx.1

4.5L / 3L
6L / 3L

Simple yet impressive.
An elegant design.




Personalise your
bathroom the way you
want; choose from 8
different colours and
patterns available.

New Geberit Monolith Puro.

The Geberit Monolith Puro is a simple yet impressive design that includes all benefits expected from a Geberit product. All the working parts including tank and piping connections are hidden inside a sleek metal-and-glass housing. Its dual flush option saves water and the Monolith Puro can be paired with a variety of floor standing WC ceramics.

The Monolith Puro is also an ideal solution for a bathroom upgrade. Installation is simple, quick and clean. Minimal structural changes are required – using existing water and drainage connections which results in cost and time-savings. In a few hours, a new and elegant bathroom is ready for use.

Personalise your bathroom the way you want it and pick from 8 trendsetting colours and designs.



Geberit Monolith Puro

131.172.xx.1 4.5L / 3L

131.174.xx.1 6L / 3L



Black (SG)



White (SF)



Deep sea (SY)



Ocean breeze (SX)



Nude (SW)



Red (SO)



Bamboo (SV)



Blossom (SU)

New Geberit shower element. Perfectly positioned.

Water flows out through the wall, the floor retains its uninterrupted tiling and the proven Geberit technology ensures smooth drainage behind the wall. You gain total freedom in your dream bathroom with the inconspicuous, elegant shower drain located in the wall.





2014

Duofix shower element, half frame

* Wall fastening set required - Art no: 111.815.00.1

Discharge outlet 40mm

Discharge outlet 50mm





111.593.00.1

111.591.00.1

Kombifix shower element

Discharge outlet 40mm


Discharge outlet 50mm



457.536.00.1

457.534.00.1

Ready-to-fit set for shower element



→ **154.335.21.1**
Product material: plastic
Bright chrome-plated

→ **154.335.11.1**
Product material: plastic
White





→ **154.336.FW.1**
→ **154.337.FW.1 (lockable)**
Product material: stainless steel
Stainless steel brushed

→ **154.339.00.1**
→ **154.338.00.1 (frameless)**
Customisable surface

Geberit shower channel.

Perfect form meets perfect function.

Timelessly elegant, made of high-quality product materials and intelligent details, Geberit shower channels are the solution whenever it comes to achieving a floor-even bathroom.



**Shower channel,
vertical outlet**

**Ready-to-fit set,
stainless steel brushed**

**Ready-to-fit set,
cover for flagstones**

L = 70cm	154.400.00.1 L1 = 80cm	154.350.00.1	154.360.00.1
L = 80cm	154.401.00.1 L1 = 90cm	154.351.00.1	154.361.00.1
L = 90cm	154.402.00.1 L1 = 100cm	154.352.00.1	154.362.00.1
L = 100cm	154.403.00.1 L1 = 101cm	154.353.00.1	154.363.00.1

Applying knowledge forms values.

- Geberit owns 25 education centres worldwide
- Approximately 30,000 plumbers, architects and planners are trained on Geberit systems and software every year
- Geberit focuses on knowledge transfer and exchange of experience
- Ethical principles are adhered to in relations with all business partners, creating a basis for long term and sustained cooperation
- Geberit is also committed to fair competition in all dealings

Care in the square



Geberit creates sustainable quality of life. With innovative water management, comprehensive know-how and a strong focus on sustainability – across all products, sectors and processes.

It's an approach that really pays off. For the environment and society, as well as customers, partners and employees. For the environment and society, as well as customers, partners and employees. For instance, developing environmentally friendly products which will benefit our future. Or with every drop of water saved by Geberit products worldwide.

That's what «Care in the squares» means to us.

Available at :

BATHWORLD

P r e m i u m B a t h r o o m F i t t i n g s & S p a s

541a balestier road Singapore 329863

532 balestier road Singapore 329859

tel : 6352 2202 / 6355 0055 fax : 6352 2272

enquiry@bathworld.net

www. bathworld.net